


FortiGate® 1500D

FortiGate 1500D, 1500D-DC and 1500DT

**Next Generation Firewall
Internal Segmentation Firewall
Data Center Firewall and IPS**



The FortiGate 1500D series delivers high performance threat protection for mid-sized to large enterprises and service providers, with the flexibility to be deployed at the Internet or cloud edge, in the data center core or internal segments. The multiple high-speed interfaces, high port density, industry-leading security efficacy and high throughput of the 1500D series keeps your network connected and secure.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Protects against unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose built security processor (SPU) technology
- Provides industry leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers an extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment modes that fit into organizations' evolving network infrastructure requirements with high port density and high-speed interfaces

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



Firewall	IPS	NGFW	Threat Protection	Interfaces
80 Gbps	13 Gbps	7 Gbps	5 Gbps	Multiple GE RJ45, GE SFP and 10 GE SFP+ / GE SFP slots Variant with 10 GE RJ45

Refer to specification table for details

DEPLOYMENT



Next Generation Firewall (NGFW)

- Security gateway to the Internet for enterprises
- Enforce security policies with granular control and visibility of users and devices for thousands of discrete applications
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic




Internal Segmentation Firewall (ISFW)

- Segmentation solution for end-to-end protection against threats while meeting compliance requirements
- High port density and accelerated traffic processing capacity, to protect multiple segments without compromising performance
- Deploy transparently and rapidly into existing environments with minimal disruption




Data Center Firewall and IPS (DCFWS-IPS)

- High availability, high throughput and low latency firewall for data center edge and core
- High session scale for accommodating large network and user traffic for Internet and cloud-facing data centers
- High-speed interfaces for future-proof connectivity while compact size contributes to greener data centers
- Performance optimized IPS engine to detect and deter latest known and zero day threats





FortiGate 1500D deployment in large campus networks (NGFW, ISFW)





FortiGate 1500D deployment in data center (DCFWS-IPS/NGFW, ISFW)

HARDWARE

FortiGate 1500D and 1500D-DC



FortiGate 1500DT



Interfaces

- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> 1. USB Management Port 2. Console Port 3. USB Port 4. 2x GE RJ45 Management Ports 5. 16x GE SFP Slots | <ol style="list-style-type: none"> 6. 16x GE RJ45 Ports 7. 8x 10 GE SFP+ / GE SFP (1500D, 1500D-DC)
4x 10 GE RJ45 Ports (1500DT) 8. 4x 10 GE SFP+ Slots (1500DT) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Powered by SPU

- Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck



Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:


- Signature-based content inspection acceleration
- Encryption and decryption offloading

FORTINET SECURITY FABRIC

Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.




FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next-generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Utilize SPU hardware acceleration to boost security capability performance.

 For more information, please refer to the FortiOS data sheet available at www.fortinet.com


SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet’s solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world’s leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.

FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.

 For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

	FG-1500D / 1500D-DC	FG-1500DT
Hardware Specifications		
Hardware Accelerated 10 GE SFP+ / GE SFP Slots	8	4
Hardware Accelerated GE SFP Slots	16	
Hardware Accelerated 10 GE RJ45 Ports	–	4
Hardware Accelerated GE RJ45 Ports	16	
GE RJ45 Management / HA Ports	2	
USB Ports (Client / Server)	1 / 1	
Console Port	1	
Onboard Storage	2x 240 GB	
Included Transceivers	2x SFP+ (SR 10GE)	
System Performance and Capacity		
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	80 / 80 / 55 Gbps	
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	80 / 80 / 55 Gbps	
Firewall Latency (64 byte, UDP)	3 µs	
Firewall Throughput (Packet per Second)	82.5 Mpps	
Concurrent Sessions (TCP)	12 Million	
New Sessions/Second (TCP)	300,000	
Firewall Policies	100,000	
IPsec VPN Throughput (512 byte) ¹	50 Gbps	
Gateway-to-Gateway IPsec VPN Tunnels	20,000	
Client-to-Gateway IPsec VPN Tunnels	100,000	
SSL-VPN Throughput	4 Gbps	
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	10,000	
SSL Inspection Throughput (IPS, HTTP) ³	10.5 Gbps	
Application Control Throughput (HTTP 64K) ²	16 Gbps	
CAPWAP Throughput (1444 byte, UDP)	20 Gbps	
Virtual Domains (Default / Maximum)	10 / 250	
Maximum Number of Switches Supported	128	
Maximum Number of FortiAPs (Total / Tunnel)	4,096 / 1,024	
Maximum Number of FortiTokens	5,000	
Maximum Number of Registered Endpoints	20,000	
High Availability Configurations	Active-Active, Active-Passive, Clustering	
System Performance — Optimal Traffic Mix		
IPS Throughput ²	15 Gbps	
NGFW Throughput ^{2,4}	8.8 Gbps	
Threat Protection Throughput ^{2,5}	6.3 Gbps	
System Performance — Enterprise Traffic Mix		
IPS Throughput ²	13 Gbps	
NGFW Throughput ^{2,4}	7 Gbps	
Threat Protection Throughput ^{2,5}	5 Gbps	

	FG-1500D / 1500D-DC	FG-1500DT
Dimensions and Power		
Height x Width x Length (inches)	3.5 x 17.24 x 21.81	
Height x Width x Length (mm)	89 x 438 x 554	
Weight	32.50 lbs (14.70 kg)	34.39 lbs (15.6 kg)
Form Factor	Rack Mount, 2 RU	
AC Power Supply	100–240V AC, 50–60 Hz	
DC Power Supply (FG-1500D-DC)	40.5–57V DC	–
Current (Maximum)	110V / 8A, 220V / 4A	
Power Consumption (Average / Maximum)	336 / 403.2 W	230 / 350 W
Heat Dissipation	1,375 BTU/h	1,193 BTU/h
Redundant Power Supplies	Yes, Hot swappable	
Operating Environment and Certifications		
Operating Temperature	32–104°F (0–40°C)	
Storage Temperature	-31–158°F (-35–70°C)	
Humidity	10–90% non-condensing	
Noise Level	59 dBA	
Operating Altitude	Up to 7,400 ft (2,250 m)	
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6	

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance test uses TLS v1.2 with AES128-SHA256.

4. NGFW performance is measured with Firewall, IPS and Application Control enabled.

5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

ORDER INFORMATION

Product	SKU	Description
FortiGate 1500D	FG-1500D	8x 10 GE SFP+ slots, 16x GE SFP slots, 18x GE RJ45 ports (including 16x ports, 2x management/HA ports), SPU NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage, dual AC power supplies.
FortiGate 1500D-DC	FG-1500D-DC	8x 10 GE SFP+ slots, 16x GE SFP slots, 18x GE RJ45 ports (including 16x ports, 2x management/HA ports), SPU NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage, dual DC power supplies.
FortiGate 1500DT	FG-1500DT	4x 10 GE SFP+ slots, 4x 10 GE RJ45 ports, 16x GE SFP slots, 18x GE RJ45 ports (including 16x ports, 2x management/HA ports), SPU NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage, dual AC power supplies.
Optional Accessories		
1 GE SFP LX transceiver module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 transceiver module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX transceiver module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ transceiver module, short range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ transceiver module, long range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ active direct attach cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Rack mount sliding rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/DC, FG-1500D, FG-3040B/DC, FG-3140B/DC, FG-3240C/DC, 3700D and 3950B/DC.
AC power supply	SP-FG1240B-PS	AC power supply for FG-1200D, FG-1240B, FG-1500D, FG-1500DT, FG-3040B and FG-3140B.
DC power supply	SP-FG1500D-DC-PS	DC power supply for FG-1500D-DC.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.



GLOBAL HEADQUARTERS
Fortinet Inc.
899 KIFER ROAD
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
www.fortinet.com/sales

EMEA SALES OFFICE
905 rue Albert Einstein
06560 Valbonne
France
Tel: +33.4.8987.0500

APAC SALES OFFICE
300 Beach Road 20-01
The Concourse
Singapore 199555
Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE
Sawgrass Lakes Center
13450 W. Sunrise Blvd., Suite 430
Sunrise, FL 33323
United States
Tel: +1.954.368.9990